

GClean® GC200 is a ready-to-use surface sanitizer & disinfectant that kills 99.9% of illness causing germs and bacteria on contact and keeps on self-sanitizing long after its initial application. GC200 Sanitizer & Disinfectant goes on in minutes (when mist applied with sprayer) and is non-harmful to both people and the environment, putting you, your employees, your family, house, and/or facility back in service safely.

- Kills 99.9% of illness-causing germs*
- Staphylocidal, Pseudomonacidal, Bactericidal, Fungicidal, & Virucidal
- Improves overall cleanliness and downtime
- Made with organic compounds
- Triclosan-free
- Water-based, odorless
- Non-toxic, safe for humans
- Environmentally safe
- Applies in minutes and dries fast, no wiping

US EPA Reg #: 6836-152-84429 & 6836-289-84429

Find out more about GC200 Surface Sanitizer & Disinfectant.

800-593-0126 accessa.com/chemical info@accessa.com

KEY FACTS

- GClean® GC200 Sanitizer & Disinfectant is a hospitalgrade disinfectant used by governmental agencies, hospitals, institutions, industrial sites, restaurants and homes. For professional use only.
- We use multiple EPA listed ingredients that have explicit kill claims against 99.9% of illness causing germs and bacteria including SARS / Human Coronavirus.
- Quick and easy, can be applied in minutes (when mist applied with sprayer) and can remain on surface. No wiping.
- Designed to continue disinfecting long after it is applied.
- Non-toxic to both people and the environment.
- Biodegradable and will not build up.
- Made in the USA.

EFFECTIVE AGAINST

BACTERIA

- Staphylococcus aureus-Community
 - Associated Methicillin-Resistant
 - [CA-MRSA] [NRS384] [USA300]
- Staphylococcus aureus-Community
 - Associated Methicillin-Resistant
 - [CA-MRSA] [NRS123] [USA400]
- Staphylococcus aureus-(Staph)
- Salmonella enterica (Salmonella)
- Enterococcus faecalis-Vancomycin
 - Resistant [VRE]
- Escherichia coli [E. coli]
- ESBL Escherichia coli- [Extended spectrum beta-lactamase producing E. coli]
- Klebsiella pneumonia [Klebsiella]
- Legionella pneumophilia
- · Burkholderia cepacia
- Salmonella Schottmuelleri [Salmonella]
- Salmonella typhi [Salmonella]
- Serratia marcescens [Serratia]
- Shigella dysenteriae [Shigella]
- Staphylococcus aureus-Vancomycin
 - Intermediate Resistant-[VISA]
- Streptococcus pyogenes [Strep] [a cause of scarlet fever]
- Vibrio cholera

VIRUSES

- Rotavirus
- Hepatitus B Virus [HBV]
- Hepatitus C Virus [HCV]
- Herpes Simplex Virus Type 1
- Herpes Simplex Virus Type 2
- HIV-1 [AIDS Virus]
- Human Coronavirus
- Influenza Type A Virus/Brazil [Influenza]
- Respiratory Syncytial Virus [RSV]
- SARS Associated Coronavirus [SARS] [cause of Severe Acute Respiratory Syndrome]
- Vaccinia Virus [Pox Virus]

ANIMAL VIRUSES

- Avian Influenza Virus [H5N1]
- Avian Influenza Virus [H3N2]
- Canine Distemper Virus
- Feline Calicivirus
- Newcastle's Disease Virus
- Pseudorabies Virus

FUNGI

Candida albicans

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Quickly and easily applied in minutes (when misted with a sprayer) and can remain on surface, no wiping. For professional use only. For plastics and painted surfaces, spot test on an inconspicuous area before use. GC200 Surface Sanitizer & Disinfectant will not harm most surfaces: including acrylic, sealed fiberglass and vinyl. Do not use on unpainted wood, natural marble or brass.

DISINFECTION/VIRUCIDAL*/MOLD AND MILDEW CONTROL DIRECTIONS:

Mist surface until surface is visibly wet. Allow surface to remain wet for 4 minutes. For Canidida albicans, treated surfaces must remain wet for 8 minutes. For Norwalk Virus (Feline Calicivirus), Norovirus and Rotavirus treated surfaces must remain wet for 10 minutes. Let air dry. If surfaces are extremely dirty, clean first, followed by GC200 Surface Sanitizer & Disinfectant. Rinse food contact surfaces with clean, potable water after disinfecting. Do not use to disinfect dishes, glassware or utensils.

FOR MOLD AND MILDEW:

GC200 Surface Sanitizer & Disinfectant will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every 7 days, or more often if new growth appears.

SANITIZING

To sanitize hard, nonporous, non-food contact surfaces; mist using enough GC200 Surface Sanitizer & Disinfectant to allow treated surface to remain wet for 15 seconds for Staphylococcus aureus [Staph] (ATCC 6538), Klebsiella pneumonia (ATCC 4352) and Campylobacter jejuni (ATCC 29428). Let surface dry. For highly soiled surfaces, clean excess dirt first.

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Keep securely closed. Nonrefillable container. Do not reuse or refill this container. We encourage our customers to recycle empty containers instead of discarding them.